

HEAVY DUTY TIME DELAY BI-STABLE RELAY

Heavy Duty • 250A • 12V/24V



Description

The Heavy Duty Time Delay Bi-Stable Relay disconnects the battery from the vehicle electrical system with voltage selfrecognition. It has immediate switch ON, controlled switch OFF, programmable delay time, and service state managing (service switch OFF and switch ON). The Heavy Duty Time Delay Bi-Stable Relay has a non-volatile memory, low battery alert system, and is thermal protected.

Features and Benefits

- UNECE R10 Rev05 compliant
- Built in TE Superseal connector 1.5 series •
- Remote command line for normal working (switch) •
- Remote command line for SERVICE/EMERGENCY working (push button)
- NORMAL/SERVICE mode selection with power down restore
- Immunity to dirty switches
- Lamp driving line for error/status signaling •

Applications

- Construction
- Military
- Transit •
- Heavy Duty Truck ٠
- Agriculture ٠
- Engines with Selective Catalytic Reduction (SCR)

Web Resources

Download technical resources at: littelfuse.com/hdtimedelay

Specifications

Amperage:	250A	
Voltage Ratings:	12V/24V	
Operating Temp:	-40°C to 100°C	
Ingress Protection:	IP67 X9K	
Color:	Black	
Voltage Range:	8.5V to 32V @ 23°C	
Max. Cranking Current:	800A x 30 Sec.	
Max. Peak Current (S.C.):	2000A x 5 Sec.	
Light Line Current Rating:	1.3A continuous (6.5A protected)	
Quiescent Current:	0.8mA @ 12V 1.5mA @ 24V	
Input Active Line Current:	5mA @ 12V 10mA @ 24V	
Programmable Delay Time:	1 Sec to 1 Hour	
False Switch Status Immunity:	Detected as open down to 2kohm Detected as closed up to 25ohm	
Ordering Information		

Jrdering information

PART NUMBER	DESCRIPTION
08070900	Programmable Time Delay Bi-Stable Relay

Recommended Products



Part Number: 00227066 Sealed Bi-Stable **Position Switch** with Cover and **GREEN LED**



Part Number: 00227068 Sealed Momentary Position Switch With Cover



Part Number: 00900400 **Bi-Stable Position** Switch BLACK



Part Number: 00900900 Momentary Position Switch RED



Part Number: 00901000 Momentary Position Switch GREEN



GREEN LED



HEAVY DUTY TIME DELAY BI-STABLE RELAY

Heavy Duty • 250A • 12V/24V

